

BIBLIOGRAPHY

Ching-Chang Ko

Book Chapters

1. **Ko CC**, Chen S, Zhang H. Mechanical properties of various archwires and their clinical application in the PASS system. In *Physiologic Anchorage Control - A New Orthodontic Concept and its Clinical Application*. Ed. Xu TM. Springer Nature. 2017: pp71-85.
2. Chen H, Lee D-J, Zhang H, Arnold R, **Ko CC**. Antimicrobial effects of formable gelatinous hydroxyapatite-calcium silicate nanocomposites for biomedical applications. In *Advances in Bioceramics and Porous Ceramics VII*. Jan. 2015. DOI: 10.1002/9781119040392.ch3
3. **Ko CC**, Wang Z, Tseng, H, Lee DJ, Guez C. Design, synthesis, and evaluation of polydopamine-laced gelatinous hydroxyapatite nanocomposites for orthopedic applications. In *Advances in Bioceramics and Biotechnologies II: Ceramic Transactions*. ed. by Joanna McKittrick, Roger Narayan, Hua-Tay Lin. Wiley. 2014: Vol 247:135-148.
4. **Ko CC**, Rocha E, Larson M. Past, present, and future of finite element analysis in dentistry. In: Moratal D, ed., *Finite Element Analysis - From Biomedical Applications to Industrial Developments*. InTech-Open Access: www.intechopen.com. Croatia, 2012: 3-24.
5. **Ko CC**, Ferreira J, Myers S. Developing Future Bioceramics for Temporomandibular Joint Tissue Engineering. In: McNamara Jr JA, Kapila SD, eds. *Temporomandibular Disorders and Orofacial Pain: Separating Controversy from Consensus*. Monograph 46, Craniofacial Growth Series, Department of Orthodontics and Pediatric Dentistry and Center for Human Growth and Development, University of Michigan, Ann Arbor; 2009: 311-51.
6. Velly AM, Look J, Myers S, **Ko CC**, Kaimal S, Ferreira J, Springsteen J, Schiffman E, Rhodus N, Friction J. Temporomandibular Muscle and Joint Disorders: Progress in Research with NIDCR's TMJ Implant Registry and Repository. In: McNamara JA Jr, Kapila SD, eds. *Temporomandibular Disorders and Orofacial Pain: Separating Controversy from Consensus*. Monograph 46, Craniofacial Growth Series, Department of Orthodontics and Pediatric Dentistry and Center for Human Growth and Development, University of Michigan, Ann Arbor; 2009: 265-81.
7. **Ko CC**, Somerman MJ, An K-N. Motion and bone regeneration. In: Bronner F, Farach-Carson MC, Mikos AG, eds. *Engineering of Functional Skeletal Tissues, Volume 3 in Topics in Bone Biology series*. Springer-Verlag London Limited; 2007: 110-28.
8. Kohn DH, **Ko CC**, Hollister SJ, Snoeyink D, Awerbuch J, Ducheyne P. Methods of detecting and predicting microfracture in titanium. In Brown SA, Lemons JE, eds., *Medical applications of titanium and its alloys: the material and biological issues, ASTM STP 1272*. American Society for Testing and Materials, Philadelphia, PA: 1996:117-35.

Journal Articles (Peer-Reviewed)

1. Kim S-J; Ha YD; Kim E; Hwang S; Nguyen T; **Ko CC**; Choi YJ; Kim K-H. Dynamics of bone healing after the removal of temporary anchorage devices. Submitted to *AJODO*. 2018
2. Lee J-H, Jeong T-S, Garcia-Godoy F, **Ko CC**, Kwon YH. Comparison of Mechanical Properties between Nanofiller-containing Flowable Resins and Nanocomposite Resins" Submitted to *J Operative Dentistry*. 2017.
3. Chen Si, Wang Li, Gang Li, Diachina S, Lee Y-T, Xu T, Shen D, **Ko CC**. Machine learning in Orthodontic imaging to assess maxillary asymmetry in unilateral impacted

- canine patients via 3D auto-segmentation and auto-landmark detection. Submitted to *Angle Orthodontist*. 2018.
4. Geng H, Su H, Whitley J, Lin F-C, **Ko CC**. The Effect of Clinical Use on The Mechanical Characteristics of Nickel-Titanium Closed-Coil Springs. Submitted to *Journal of International Medical Research*. 2018.
 5. Jacox LA, Mihas P, Cho C, Lin F-C, **Ko CC**. Understanding Technology Adoption By Orthodontists. In press. *Am J Orthod Dentofacial Orthop*. 2018.
 6. Ahn MS, Shin SM, Wu T-J, Lee DJ, **Ko CC**, Chung C, Kim Y-I. Correlation between the cross-sectional morphology of the mandible and the three-dimensional facial skeletal pattern: a structural equation modeling approach. In press. *Angle Orthodontist*. 2018.
 7. Lee S-M, Yoo K-H, Yoon S-Y, Kim I-R, Park B-S, Son W-S, **Ko CC**, Son S-A, Kim Y-I. Enamel anti-demineralization effect of orthodontic adhesive containing bioactive glass and graphene oxide: an in vitro study. *Materials* 2018, 11, 1728; doi:10.3390/ma11091728.
 8. Jung J-H, & Kim D-H, Yoo K-H, Yoon S-Y, Kim Y & Bae M-K, Chung J, **Ko CC**, Kwon YH, Kim YI. Dentin sealing and antibacterial effects of silver-doped bioactive glass/mesoporous silica nanocomposite: an in vitro study. In press. *Clinical Oral Investigations*. 2018. April. 6. <https://doi.org/10.1007/s00784-018-2432-z> PMID: 29623418
 9. Jeong T-S, Park J-K, **Ko CC**, Garcia-Godoy F, Kwon YH. Difference assessment of composite resins and sound tooth applicable in the resin-embedded tooth for resin repair using fluorescence, microhardness, DIAGNOdent, and X-ray image. In press. *Clinical Oral Invest*. 2018. April. 18. <https://doi.org/10.1007/s00784-018-2436-8>. PMID: 29671053
 10. Li Y, Jacox L, Little HS, **Ko CC**. Orthodontic Tooth Movement: the Biology and Clinical Implication. *Kaohsiung Journal of Medical Sciences*. 2018. 34(4): 207-214. <https://doi.org/10.1016/j.kjms.2018.01.007>. PMID: 29655409
 11. Han S-G; Shin SM; Choi Y-S; Kim SY; **Ko CC**. Morphometric analysis for evaluating the relation between incisal guidance angle, occlusal plane angle, and functional temporomandibular joint shape variation. *Acta Odontologica Scandinavica*. 2018. doi.org/10.1080/00016357.2017.1420227.
 12. Gibson C, Lin F-C, Phillips C, Edelman A, **Ko CC**. Characterizing Constraining Forces in the Alignment Phase of Orthodontic Treatment. *Angle Orthodontist*. 2018. Jan;88(1):67-74. PMID: 28949763.
 13. Yoo JH, Lee S-M, Bae MK, Lee DJ, **Ko CC**, Kim Y-I, Kim HJ. Effect of Orthodontic Force on The Osteogenic Differentiation of Human Periodontal Ligament Stem Cells. *Japan Science and Technology Information Aggregator, Electronic (J-STAGE)*. 2018. May. 24. doi: 10.2334/josnusd.17-0310. PMID: 29794399.
 14. Kim SH, Shin SM, Choi YS, **Ko CC**, Kim SS, Park SB, Son WS, Kim YI. Morphometric analysis of the maxillary root apex positions according to crowding severity. *Orthod Craniofac Res*. 2017 Nov; 20(4):202-208. PMID: 28857415.
 15. Rowan S, Prasad JL, Newness EJ, **Ko CC**, Tetradis S, Sanchez A. Should Student Evaluation of Teaching Play a Significant Role in the Formal Assessment of Faculty? Two Viewpoints. *J Dent Education*. 2017. 81(11):1362-1372. PMID: 29093150
 16. Lee DJ, Lee Y-T, Daniel R, **Ko CC**. Polydopamine-Laced Biomimetic Material Stimulation of Bone Marrow Derived Mesenchymal Stem Cells to Promote Osteogenic Effects. *Scientific Reports*. 2017; 7:12984. Doi:10.1038/s41598-017-13326-y. PMID: 29021583

BIBLIOGRAPHY

Ching-Chang Ko

17. **Ko CC**, Yi D-H, Lee DJ, Kwon J, Garcia-Godoy F, Kwon YH. Diagnosis and staging of caries using spectral factors derived from the blue laser-induced autofluorescence spectrum. *J Dentistry*. Oct 6, 2017. 67:77-83. <https://doi.org/10.1016/j.jdent.2017.09.015> PMID:28993243
18. Atieh M, Ritter AV, **Ko CC**, Duqum I. Accuracy Evaluation of Intra-Oral Optical Impressions: A Clinical Study Using a Reference Appliance. *The Journal of Prosthetic Dentistry*. 2017 Sep;118(3):400-405. PMID:28222869.
19. Chen S, Bai B, Lee D-J, Diachina S, Li Y, Wong SW, Wang Z, Tseng HC, **Ko CC**. Dopaminergic enhancement of cellular adhesion in bone marrow derived mesenchymal stem cells (MSCs) *J Stem Cell Research & Therapy*, Aug. 10, 2017. NIHMS931669
20. Ólafsson V.G., Ritter A.V., Swift E.J., Boushell L.W., **Ko CC**, Jackson G.R., Ahmed S.N., Donovan T.E. Effect of composite type and placement technique on cuspal strain. *J Esthet Restor Dent*. 2017 Oct 16. doi: 10.1111/jerd.12339. PMID: 29034597
21. Ok S-M, Lee S-M, Park HR, Jeong S-H, **Ko CC**, Kim Y-I. Concentrations of CTX I CTX II DPD and PYD in the urine as a biomarker for the diagnosis of temporomandibular joint osteoarthritis A preliminary study. *J Craniomandibular & Sleep Practice*. 2017. <https://doi.org/10.1080/08869634.2017.1361624>
22. Jackson T, Guez C, Lin F-C, Proffit W, **Ko CC**. The Modern Likelihood of Orthodontic Tooth Extraction. *AJODO*. 2017;151:456-62. PMID:28257729
23. Uhlir R, Mayo V, Lin PH, Chen S, Lee Y-T, Garland H, Lin F-C, **Ko CC**. Biomechanical Characterization of the Periodontal Ligament: Orthodontic Tooth Movement. *Angle Orthodontist*. 2017; 87:183–192. PMID: 27542105.
24. Lee DJ, Diachina S, Lee YT, Zhao L, Zou R, Tang N, Han H, Chen X, **Ko CC**. Decellularized bone matrix grafts for calvaria regeneration. *J Tissue Eng*. 2016 Dec 5(7): 2041731416680306. PMID: 28228929.
25. Hu H, Dyke J, Bowman B, **Ko CC**, You W. Investigation of Dopamine Analogues: Synthesis, Mechanistic Understanding, and Structure-Property Relationship. 2016. Sep. 5. *Langmuir*. DOI:10.1021/acs.langmuir.6b02141.
26. Kim Y-I, **Ko CC**. Comparison of post-operative distal segment changes between conventional and sliding mini-plate fixation methods. *Korean J Orthod*. 2016 Nov; 46(6): 372–378.
27. Choi Y-K, Kim J, Yamaguchi T, Maki K, **Ko CC**, Kim Y-I. Cervical Vertebral Body's Volume as a New Parameter for Predicting the Skeletal Maturation Stages. *BioMed Research International*, 2016. <http://dx.doi.org/10.1155/2016/8696735>.
28. Lee DJ, Park Y, Hu W-S, **Ko CC**. Osteogenic potential of Multipotent Adult Progenitor Cells (MAPCs) for Calvaria Bone Regeneration. *Advances in Medicine*. vol. 2016, Article ID 2803081, 11 pages, 2016. doi:10.1155/2016/2803081.
29. Son S-A, Jung K-H, **Ko CC**, Kwon YH. Spectral characteristics of caries-related autofluorescence spectra and their use for diagnosis of caries stage. *J Biomed Opt*. 2016 Jan 1;21(1):15001. doi: 10.1117/1.JBO.21.1.015001.
30. Byun B-R, Kim Y-I, Yamaguchi T, Maki K, **Ko CC**, Hwang D-S, Park S-B, Son W-S. Quantitative skeletal maturation estimation using cone-beam computed tomography-generated cervical vertebral images: a pilot study in 5- to 18-year-old Japanese children. *Clin Oral Invest*. 2015, 19:2133-2140. DOI 10.1007/s00784-015-1415-6.

31. Kim T-W, Lee J-H, Jeong S-H, **Ko CC**, Kim H-I, Kwon YH. Mechanical Properties and Polymerization Shrinkage of Composite Resins Light-Cured Using Two Different Lasers. *Photomedicine and Laser Surgery*. 2015. 33(4): 213-219. DOI: 10.1089/pho.2014.3849.
32. Lee DJ, Tseng HC, Wang Z, Dong M, Zhang H, **Ko CC**. Dopaminergic effects on in vitro osteogenesis. *Bone Research*. 3:15020. 2015. doi:10.1038/boneres.2015.20. PMID 26558139.
33. Zhang H, Yang S, Masako N, Lee DJ, Cooper L, **Ko CC**. Proliferation of preosteoblasts on TiO₂ nanotubes is FAK/RhoA related. *RSC Advances*. 2015. 5:38117–38124. DOI: 10.1039/C4RA16803H. NIHMSID 685853. PMCID: PMC4467958
34. Ku R-M, **Ko CC**, Jeong C-M, Park M-G, Kim H-I, Kwon YH. Effect of flowability on the flow rate, polymerization shrinkage, and mass change of flowable composites. *Dental Materials Journal* 2015; 34(2): 168–174. PMID: 25740163.
35. Ro JH, Son SA, Park JK, Jeon GR, **Ko CC**, Kwon YH. Effect of two lasers on the polymerization of composite resins: single vs combination. *Lasers Med Sci*. 2015. 30:1497–1503. PMID:25895056.
36. Chiu C-K, Dong Joon Lee DJ, Chen H, Chow LC, **Ko CC**. *In-situ* hybridization of calcium silicate and hydroxyapatite-gelatin nanocomposites enhances physical property and *in vitro* osteogenesis. *J Mater Sci: Mater Med*. 2015, 26:92. DOI: 10.1007/s10856-015-5456-9
37. Son S-A, Park J-K, Jung K-H, **Ko CC**, Jeong C-M, Kwon YH. Effect of 457nm Diode-Pumped Solid State Laser on the Polymerization Composite Resins: Microhardness, Cross-Link Density, and Polymerization Shrinkage. *Photomedicine and Laser Surgery*. 33(1):3-8, 2015. DOI: 10.1089/pho.2014.3786. PMID [25549163](#).
38. Dyke J, You W, **Ko CC**, Lee DJ. The role of temperature in forming sol-gel biocomposites containing polydopamine. *J Mater Chem B Mater Biol Med*. 2014. 2:7704-7711. doi:10.1039/C4TB00884G; NIHMSID: NIHMS634448
39. Galicia JC, Naqvi AR, **Ko CC**, Nares S, Khan AA. MiRNA-181a regulates Toll-like receptor agonist-induced inflammatory response in human fibroblasts. *Genes and Immunity*, Jul-Aug;15(5):333-7. doi: 10.1038/gene.2014.24.
40. Lee DJ, Padilla R, Zhang H, Hu W-S, **Ko CC**. *In Vivo* Assessment of Decellularized Bone Matrix and Calcium Silicate Incorporated Hydroxyapatite-Gelatin Nanocomposites. *BioMed Research International*. 2014:837524. PMCID: PMC4098952
41. Miguez P, Terajima M, Nagaoka H, Ferreira JA, Braswell K, **Ko CC**, Yamauchi M. Recombinant biglycan promotes bone morphogenetic protein-induced osteogenesis. *Journal of Dental Research*. April 2014. 93(4):406-411. doi: 10.1177/0022034514521237
42. Cox, C, Nguyen T, Koroluk L, **Ko CC**. In Vivo Force Decay of Niti Closed Coil Springs. *Am J Orthod Dentofacial Orthop*. 145(4): 505–513, April. 2014. NIHMSID#558064. YMOD4561.
43. Park J-K, Lee G-H, Kim J-H, Park M-G, **Ko CC**, Kim H-I, Kwon YH. Polymerization shrinkage, flexural and compression properties of low-shrinkage dental resin composites. *Dental Materials*. 2014; 33(1): 104–110.
44. Park M-G, Ro J-H, Park J-K, **Ko CC**, Kwon YH. Effect of a DPSS laser on the shear bond strength of ceramic brackets with different base designs. *Lasers Med Sci* 2013; 28:1461–1466. DOI 10.1007/s10103-012-1227-8.
45. Ferreira JR, Padilla R, Urkasemsin G, Yoon K, Goeckner K, Hu W-S, **Ko CC**. Titanium-enriched Hydroxyapatite-Gelatin Scaffolds with Osteogenically Differentiated Progenitor

BIBLIOGRAPHY

Ching-Chang Ko

- Cell Aggregates for Calvaria Bone Regeneration. *Tissue Engineering Part A*. 2013 Aug;19(15-16):1803-16. PMID: PMC3700087
46. **Ko CC**. Commentary: Effects of vertical positions of anterior teeth on smile esthetics in Japanese and Korean orthodontists and orthodontic patient (1). *Journal of Esthetic and Restorative Dentistry*. 2013, 25(4):283.
 47. Kim T-H, Garcia-Godoy F, **Ko CC**, Park J-K, Kim H-I, Kwon Y-H. Effect of temperature on the mass and color stability of additional photoinitiator-containing composite resins. *Dental Materials J*. 2013;32(4):628-36.
 48. Baek D-M, Park J-K, Son S-A, **Ko CC**, Garcia-Godoy F, Kim H-II, Kwon YH. Mechanical properties of composite resins light-cured using a blue DPSS laser. *Laser Med Sci*. 2013; 28:597-604. DOI 10.1007/s10103-012-1117-0.
 49. Canales C, Larson M, Grauer D, Sheats R, Stevens C, **Ko CC**. A novel biomechanical model assessing orthodontic, continuous archwire activation. *Am J Orthod Dentofacial Orthop*. 2013 Feb. 143(2):281-90. NIHMSID: NIHMS433195. Publ. IDYMOD4199.
 50. Ferreira JNAR, Hirsch M, Zhang L, Park Y, Samulski JR, Hu W-S, **Ko CC**. Multipotent progenitor cell aggregates for expansion, osteogenic differentiation and "in vivo" tracing with AAV vector serotype 6. *Gene Therapy*. 2013, 20(2):158-168. doi: 10.1038/gt.2012.16 PMID: PMC3374053
 51. Kaku M, Komatsu Y, Mochida Y, Yamauchi M, Mishina Y, **Ko CC**. Identification and characterization of neural crest-derived cells in adult periodontal ligament of mice. *Arch Oral Biol*. 2012, Dec;57(12):1668-75. PMID: 22704955
 52. Chiu C-K, Ferreira J, Luo T-J M, Geng H, Lin F-C, **Ko CC**. Direct Scaffolding of Biomimetic Hydroxyapatite-gelatin Nanocomposites using Aminosilane Cross-linker for Bone Regeneration. *J Mater Sci: Mater Med*. 2012; 23(9):2115-2126. PMID: PMC3509178
 53. Dyke JC, Knight KJ, Zhou H, Chiu C-K, **Ko CC**, You W. An Investigation of Siloxane Cross-linked Hydroxyapatite-Gelatin/Copolymer Composites for Potential Orthopedic Applications. *J Mater Chem*. 2012; January 1; 22(43): 22888–22898. PMID: PMC3489191
 54. Chi L, Cheng M, Hershey HG, Nguyen T, **Ko CC**. Biomechanical Re-evaluation of Orthodontic Asymmetric Headgear, *Angle Orthodontist* 2012 Jul. 82(4): 682-690.
 55. Anchieta RB, Rocha EP, Almeida EO, Freitas Jr AC, Martin Jr M, Martini AP, Archangelo CM, **Ko CC**. Influence of customized composite resin fiberglass posts on the mechanics of restored treated teeth. *Int Endodontic Journal* 2012; 45(2):146-155.
 56. Archangelo CM, Rocha EP, Anchieta RB, Martin Jr M, Freitas Jr AC, **Ko CC**, Cattaneo PM. Influence of buccal cusp reduction when using porcelain laminate veneers in premolars. A comparative study using 3-D finite element analysis. *J Prosthodont Res* 2011;55(4):221-227.
 57. Shin D-H, Yun D-I, Park M-G, **Ko CC**, Garcia-Godoy F, Kim H-I, Kwon YH. Influence of DPSS Laser on Polymerization Shrinkage and Mass Change of Resin Composites. *Photomedicine and Laser Surgery* 2011;29(8):545-550.
 58. Kim Y-O, Park S-B, Son W-S, **Ko CC**, Franklin G-G, Kim H-II, Kwon YH. Diode-pumped solid-state laser for bonding orthodontic brackets: effect of light intensity and light-curing time. *Lasers Med Sci* 2011;26(5):585-9.
 59. Freitas Júnior AC, Rocha EP, dos Santos PH, **Ko CC**, Júnior MM, de Almeida EV. Mechanics of the maxillary central incisor. Influence of the periodontal ligament

- represented by beam elements. *Computer Methods in Biomechanics and Biomedical Engineering* 2010;13(5): 515–21.
60. Rocha EP, Anchieta RB, Freitas Júnior AC, de Almeida EO, Cattaneo PM, **Ko CC**. Mechanical behavior of ceramic veneer in zirconia-based restorations: A 3-dimensional finite element analysis using microcomputed tomography data. *J Prosthet Dent* 2010;105:14-20.
 61. Park J-K, Hur B, **Ko CC**, García-Godoy F, Kim H-I, Kwon YH. Effect of light-curing units on the thermal expansion of resin nanocomposites. *Am J Dent* 2010;23:331-4. PMID:PMC3178456
 62. Park SB, Kang EH, Son WS, **Ko CC**, Kim HI, Kwon YH. Effect of DPSS laser on the shear bond strength of orthodontic brackets. *Am J Dent* 2010;23(4):205-7. PMID:PMC3178458
 63. Park JK, Kim TH, **Ko CC**, García-Godoy F, Kim HI, Kwon YH. Effect of staining solutions on discoloration of resin nanocomposites. *Am J Dent* 2010 Feb;23(1):39-42. PMID:PMC3178459
 64. Larson BE, Sievers MM, **Ko CC**. Improved Lateral Cephalometric Superimposition Using an Automated Image Fitting Technique. *Angle Orthod* 2010;80(3):474-9.
 65. Luo T-J M., **Ko C.C.**, Chiu C-K, Llyod J, Huh H. Aminosilane as an effective binder for hydroxyapatite-gelatin nanocomposites. *J Sol-Gel Sci & Tech* 2010;53:459-65. PMID: PMC3702191. NIHMSID: NIHMS450862
 66. Huang H-L, Fuh L-J, **Ko CC**, Hsu J-T, Chung H-Y, Chen C-C. Biomechanical effects of a maxillary implant in the augmented sinus: a three-dimensional finite element analysis. *Int J Oral Maxillofac Implants* 2009;4(3):455-62.
 67. Seong WJ, Kim UK, Swift JQ, Hodges JS, **Ko CC**. Correlations between physical properties of jawbone and dental implant initial stability. *J Prosthet Dent* 2009;101(5):306-18.
 68. Seong WJ, Swift J, Hodges J, Heo YC, **Ko CC**. Elastic properties and apparent density of human edentulous maxilla and mandible. *International Journal of Oral & Maxillofacial* 2009;38:1088-93.
 69. Park S-B, Son W-S, **Ko CC**, Garcia-Godoy F, Park M-G, Kim H, Kwon YH. Influence of flowable resins on the shear bone strength of orthodontic brackets. *Dent Mater* 2009;28(6):730-4.
 70. **Ko CC**, Luo T-JM, Chi L, Ma A. Hydroxyapatite/gemosil nanocomposite. In Narayan R. and Colombo P. eds., *Advances in Bioceramics and Porous Ceramics: Ceramic Engineering and Science Proceedings*, 2009; 29(7): 123-34.
 71. Ferreira JNAR, **Ko CC**, Myers S, Swift JQ, Friction J. Evaluation of surgically retrieved temporomandibular joint alloplastic implants—pilot study. *The Int. J Oral & Maxillofac Implants* 2008;66: 1112-24.
 72. Oyen ML, **Ko CC**. Indentation variability of natural nanocomposite materials. *J. Mater. Res* 2008;23(3):760-7.
 73. Seong WJ, Holte JE, Holtan JR, Olin PS, Hodges JS, **Ko CC**. Initial stability measurement of dental implants placed in different anatomical regions of fresh human cadaver jawbone. *J Prosthet Dent* 2008;99(6):425-34.

BIBLIOGRAPHY

Ching-Chang Ko

74. Huang HL, Hsu JT, Fuh LJ, Tu MG, **Ko CC**, Shen YW. Bone stress and interfacial sliding analysis of implant designs on an immediately loaded maxillary implant: A non-linear finite element study. *J Dent* 2008;36(6):409-17.
75. **Ko CC**, Cao Y, Tanikawa C, Ford D, Mayhew M. Parametrization of the curve for dental arch. In Takada K, Kreiborg S, eds. *Silico Dentistry-the evolution of computational oral health science*. Osaka University, Mouth and Face Forum 2008:121-4.
76. Myers S, Kaimal S, Springsteen J, Ferreira J, **Ko CC**, Friction J. Development of a National TMJ Implant Registry and Repository-- NIDCR's TIRR. *Northwest Dent*. 2007 Nov-Dec;86(6):13-8. PMID:18240532.
77. Anchieta RB, Rocha EP, **Ko CC**, Sundfeld RH, Martin Junior M, Archangelo CM. Localized mechanics of dentin self-etching adhesive system. *J Appl Oral Sci*. 2007 Aug;15(4):321-6. PMID:19089152.
78. Huang H-L, Chang C-H, Hsu J-T, Fallgatter AM, **Ko CC**. Comparisons of Implant Body Designs and Thread Designs of Dental Implants: A Three-Dimensional Finite Element Analysis. *Int J Oral & Maxillofac Implants* 2007;22:551-62.
79. Oyen ML, **Ko C-C**. Examination of Local Variations in Viscous, Elastic, and Plastic Indentation Responses in Healing Bone, *J Mater Sci Mater Med* 2007;18(4):623-8.
80. Tantbirojn D, Feigal RJ, **Ko CC**, Versluis A. Remineralized dentin lesions induced by glass ionomer demonstrate increased resistance to subsequent acid challenge. *Quintessence Int* 2006;37(4):273-81.
81. Huang H-L, Lin C-L, **Ko CC**, Chang C-H, Hsu J-T, Huang J-S. Stress Analysis of Implant-Supported Partial Protheses in Anisotropic Mandibular Bone: In-line or Offset Placement of Implants. *J Oral Rehabilitation* 2006;33:501-8.
82. Kim U-K, Chung I-K, Lee K-H, Swift JQ, Seong W-J, **Ko CC**. Bone Regeneration in Mandibular Distraction Osteogenesis Combined with Compression Stimulation. *J Oral Maxillofac Surg* 2006;64(10):1498-505.
83. Fallgatter AM, **Ko CC**. Crush absorbing energy of white spot lesion measured by indentation tests. *J. Mat Res*. 2006;21(8):2052-7.
84. **Ko CC**, Oyen M, Fallgatter AM, Hu W-S. Mechanical properties and cytocompatibility of biomimetic hydroxyapatite-gelatin nanocomposites. *J Mat Res* 2006;21(12):3090-8.
85. Khattak MF, Conry JP, **Ko CC**. Comparison of three topical fluorides using computer imaging. *J Clin Pediatr Dent* 2005;30(2):139-44.
86. Huang H-L, Huang J-S, **Ko, CC**, Hsu JT, Chang CH, Chen MY. Effects of splinted prosthesis supported a wide implant or two-implant: A three-dimensional finite element analysis. *Clin Oral Implants Res* 2005;16(4):466-72.
87. Chang MC, **Ko CC**, Douglas WH. Modification of hydroxyapatite/gelatin composite by polyvinylalcohol. *J Mater Science* 2005;40:2723-7.
88. **Ko CC**, Wu Y-L, Douglas WH, Narayanan R, Hu W-S. *In Vitro* and *In Vivo* Tests of Hydroxyapatite-Gleatin Nanocomposites for Bone Regeneration: A Preliminary Report. In Aizenberg J, Landis WJ, Orme C, Wang R, eds. *Biological and Bioinspired Materials and Devices*. Symposium Proceedings Material Research Society Spring Meeting, 2004;823: 255-60.
89. Cao Y, **Ko CC**, DeLong R. A Class of Solution of Optimization in Dentistry. *Journal of Computer-Aided Design & Computer Graphics (Chinese)* 2004;17(8):1778-84.

90. **Ko CC**, Douglas WH, DeLong R, Rohrer MD, Swift JQ, Hodges JS, An K-N, Ritman EL. Effects of implant healing time on crestal bone loss of a controlled-load dental implant. *J Dent Res* 2003;82(8):585-91.
91. Chang MC, **Ko CC**, Liu C, Douglas WH, DeLong R, Seong W-J, Hodges J, An K-N. Elasticity of alveolar bone near dental implant-bone interfaces after one month's healing. *J Biomech* 2003;36:1209-14.
92. Chang MC, **Ko CC**, Douglas WH. Preparation of hydroxyapatite-gelatin nanocomposite. *Biomaterials* 2003;24(17):2853-62.
93. Chang MC, **Ko CC**, Douglas WH. Conformational change of hydroxyapatite-gelatin nanocomposite by glutaraldehyde. *Biomaterials* 2003;24(18):3087-94.
94. DeLong R, Heinzen M, Hodges JS, **Ko CC**, Douglas WH. Accuracy of a system for creating 3D computer models of dental tissues. *J Dent Res* 2003;82(6):438-42.
95. Huang Y-C, Chen M, Shin Y-P, **Ko CC**. Use of iterative learning control on improved intra-oral hydraulic loading system of dental implants. *JSME International Journal—Series C: Mechanical System, Machine Elements and Manufacturing* 2003; 6(4):1449-55.
96. Huang Y-C, Chen M, Shin Y-P, **Ko CC**. Use of iterative learning control on improving intra-oral hydraulic loading system of dental implants. Proceeding of 2003 IEEE International Symposium on Intelligent Control, Houston, Texas, IEEE: 03CH37461C. ISBN 0-7803-7892-X. October 5-8, 2003:63-8.
97. Lai JH, Wang LL, **Ko CC**, DeLong R, Hodges JS. New organosilicon maxillofacial prosthetic materials. *Dent Mater* 2002;18:281-86.
98. DeLong R, **Ko CC**, Olson I, Hodges JS, Douglas WH. Helical axis errors affect computer-generated occlusal contacts. *J Dent Res* 2002;81(5):338-43.
99. **Ko CC**, Swift JQ, DeLong R, Douglas WH, Kim YI, An K-N, Chang C-H, Huang H-L. An Intra-Oral Hydraulic System for Controlled Loading Of Dental Implants. *J Biomech* 2002;35:863-9.
100. Huang H-L, Chang C-H, **Ko CC**, Lin C-L, Huang J-S. Effect of marginal bone loss on stress distribution of alveolar bone around dental implants. *Chin Dent J* 2002;21(3):165-76.
101. Huang H-L, Chang C-H, **Ko CC**, Lin C-L, Huang J-S. Stress analyses of dental prostheses with various implant supported designs. *J Med & Biological Eng* 2002;22(S):s17-s24.
102. DeLong R, **Ko CC**, Anderson GC, Hodges JS, Douglas WH. Comparing maximum intercuspal contacts of virtual dental patients and mounted dental casts. *J Prosthet Dent* 2002;88:622-30.
103. Lin C-L, Chang C-H, Wang C-H, **Ko CC**, Lee H-E. Numerical investigation of the factors affecting interfacial stresses in an MOD restored tooth by auto-meshed finite element method. *J Oral Rehabilitation* 2001;28(6):517-25.
104. Lin, C-L, Chang C-H, **Ko CC**. Multifactorial analysis of an MOD restored human premolar using auto-mesh finite element approach. *J Oral Rehabilitation* 2001;28(6):576-85.
105. DeLong R, Pintado MR, **Ko CC**, Hodges JS, Douglas WH. Factors influencing optical 3D scanning of Vinyl Polysiloxane impression materials. *J Prosthetics* 2001;10(2):78-85.
106. Efflandt SE, Lopes M, **Ko CC**, Perdigao J, Douglas WH, Francis LF. Bioactive glass paste in molars of mini-pigs: an *in vivo* study. *Mat Res Soc Symp Proc* 2001;662:LL2.4.1-LL2.4.5.
107. **Ko CC**, Tantbirojn D, Wang T, Douglas WH. Optical scattering power for characterization of mineral loss. *J Dent Res* 2000;79(8):1584-9.

BIBLIOGRAPHY

Ching-Chang Ko

108. Pintado MR, DeLong R, **Ko CC**, Sakaguchi RL, Douglas WH. Correlation of noncarious cervical lesion size and occlusal wear in a single adult over a 14-year time span. *J Prosthet Dent* 2000;84:436-43.
109. Tantbirojn D, **Ko CC**, Douglas WH. Stain removal efficacy: an *in vitro* evaluation using quantitative image analysis. *Quintessence Int* 1998;29:28-37.
110. Tantbirojn D, Douglas WH, **Ko CC**, McSwiggen PL. Spatial chemical analysis of dental stain using wavelength dispersive spectrometry. *European Journal of Oral Sciences*. 1998;106:1-6.
111. **Ko CC**, Kohn DH, Hollister SJ. Effective anisotropic elastic constants of bimaterial interphases: comparison between experimental and analytical techniques. *J Mater Science: Materials in Medicine* 1996;7:109-17.
112. **Ko CC**, Kohn DH, Hollister SJ. Predicting bone ingrowth and failure risk of Ti porous coated total hip replacements: an approach to implant design and analysis. In the 12th *International Conference on Advanced Science and Technology (ICAST)*, Chicago, Illinois: 1996 April; 177-84.
113. **Ko CC**, Kohn DH, Hollister SJ. Micromechanics of implant/tissue interfaces. *J Oral Implantol* 1992;15(3):220-30.
114. **Ko CC**, Chu CS, Chung KH, Lee MC. Effect of posts on dentin stress distribution in pulpless teeth. *J Prosth Dent* 1992;68:421-7.

Conference Papers (Peer-Reviewed Proceeding Papers)

1. **Ko CC**, An K-N. A biomimetic cementitious material: gelatinous hydroxyapatite in organosilica polymeric matrix. *Annual Meeting of Orthopedic Research Society*, Long Beach, CA, January 2011. #1910.
2. Oyen ML, **Ko CC**, Bembey AK, Bushby AJ and Boyde A. Nanoindentation and Finite Element Analysis of Resin-Embedded Bone Samples as a Three-Phase Composite Material. *MRS Proceedings*, 2005; 874, L1.7 doi:10.1557/PROC-874-L1.7.
3. Bembey AK, Oyen ML, **Ko CC**, Bushby AJ and Boyde A. Elastic Modulus and Mineral Density of Dentine and Enamel in Natural Caries Lesions. *MRS Proceedings*, 2005; 874, L5.15 doi:10.1557/PROC-874-L5.15.
4. Oyen ML and **Ko CC**. Finite Element Modeling of Bone Ultrastructure as a Two-phase Composite. *MRS Proceedings*, 2004; 844, Y8.7 doi:10.1557/PROC-844-Y8.7.
5. **Ko CC**. Potential role for implant healing time in early bone response to a functionally loaded dental implant. *Proceedings of Annual Whitaker Biomedical Engineering Conference*, 2001; 43.
6. **Ko CC**, DeLong R, Swift JQ, Douglas WH, An K-N. Early bone changes in experimental dental implants using a controlled loading model. *Proceedings of Academy of Dental Materials*, Transactions. 2000;14:67.
7. **Ko CC**, Tantbirojn D, Wang T, Douglas WH. Optical scattering power of a carious lesion: 1-D approach comparing Kubelka-Munk method to Monte Carlo simulation. *Proceedings of the Bioengineering Conference, ASME BED* 1999;42:241-2.
8. Wang T, **Ko CC**, Cao Y, DeLong R, Huang CC, Douglas WH. Optical simulation of carious tooth by Monte Carlo method. *Proceedings of the Bioengineering Conference, ASME BED* 1999; 42:593-4.

9. **Ko CC**, Douglas WH, Cheng Y-S. Intrinsic mechanical competence of cortical and trabecular bone measured by nanoindentation and microindentation probes. *Advances in Bioengineering ASME BED* 1995;29:415-6.
10. **Ko CC**, Kohn DH, Hollister SJ, Goldstein SA. Ingrowth rule: a relationship between tissue strain and osseointegration for porous coated implants. *Advances in Bioengineering ASME BED* 1995;29:481-2.
11. Kohn DH, **Ko CC**, Hollister SJ. Experimental validation of interfacial elastic constants predicted by homogenization theory, *Transactions of the 41st Orthopaedic Research Society*, 1995;753.
12. **Ko CC**, Kohn DH, Hollister SJ. Characterizing elastic properties of bimaterial interphase composites: Comparison of experimental and analytical results. *Advance in Bioengineering ASME BED* 1994;28:359-60.
13. Kohn DH, **Ko CC**, Hollister SJ. Microstructural modeling of dental implant/tissue interfaces: Global and local stresses, *Advance in Bioengineering ASME BED* 1994;28:383-4.
14. Kohn DH, **Ko CC**, Hollister SJ. Coupled global/local modeling of porous coated implants: error estimates for different loading conditions, 39th Annual Meeting, *Orthopaedic Research Society*, San Francisco, CA: February 1993;469.
15. Kohn DH, **Ko CC**, Hollister SJ. Effect of tissue modulus, symmetry and fibrous tissue on the local properties of a porous coating/tissue interfacial zone, 39th Annual Meeting, *Orthopaedic Research Society*, San Francisco, CA: February 1993;223.
16. Hollister SJ, **Ko CC**, Kohn DH. Bone density around screw thread dental implants predicted using topology optimization, *Bioengineering Conference ASME BED* 1993;24:339-42.
17. Kohn DH, **Ko CC**, Hollister SJ. Local properties of porous coating/tissue interfacial zone based on homogenization theory, *Bioengineering Conference ASME BED* 1993;24:335-8.
18. Kohn DH, **Ko CC**, Hollister SJ. Localized mechanics of dental implants, *Bioengineering Conference ASME BED* 1993;24:331-4.
19. **Ko CC**, Kohn DH, Hollister SJ. Stress analysis of the bone/implant interfacial zone accounting for localized architecture. *Transactions of Orthopaedic Research Society*, Washington, DC: 1992;74.

Journal Abstracts

1. **Ko CC**, Lee Y-T, Diachina S, Chen S, Wang X, Wang L, Shen D. Craniofacial Biomedicine Using Machine Learning From CBCT Images. IADR Meeting, London, UK. July 28th, 2018.
2. **Ko CC**. Contemporary Orthodontic Treatment: Constraining Forces and Tooth Movement in the Alignment Phase. IADR Meeting, London, UK. July 2018.
3. Wong S, Tseng HC, Martinez J, **Ko CC**. Optineurin deficiency increases osteoclastogenesis and causes Paget's disease of the bone. Submitted to IADR Meeting, March 2017, San Francisco, US. (S3759)
4. Chen S, Wang L, Zhang J, Xu T-M, Shen D, **Ko CC**. Automated Characterization of Maxillary Asymmetry in Unilateral Impacted Canine Patients. Submitted to IADR Meeting, March 2017, San Francisco, US. (0075)
5. Huang B, Han H, Lee DJ, Zhao L, Amelio A, **Ko CC**. Development of a Novel Cell-Tracking Strategy in Bone Regenerative Devices. Submitted to IADR Meeting, March 2017, San Francisco, US. (S2805)

BIBLIOGRAPHY

Ching-Chang Ko

6. Zhang H, Lin F-C, **Ko CC**. Friction Force for Stage I De-rotation with Two Ligation Methods. Submitted to IADR Meeting, March 2017, San Francisco, US. (C2013)
7. Lee DJ, **Ko CC**. Decellularized Bone Matrix (DecBM) Grafts for Calvaria Regeneration. Submitted to IADR Meeting, March 2017, San Francisco, US. (S1917)
8. Kansas A, Boushell L, **Ko CC**. Assessment of the Dentin Bond Strength Values of Resin Modified Glass Ionomer Restorative Material using Different In Vitro Test Methods. Submitted to IADR Meeting, March 2017, San Francisco, US. (S1983)
9. Hu H, Dyke J, Lin F-C, Tsukamoto H, You W, **Ko CC**. Effects of dopamine and a dopamine analog on polydopamine-laced hydroxyapatite gelatin nanocomposites. The Proceeding of World Biomaterials Congress, May 2016, Montreal, QC, Canada.
10. Wong S, Tseng HC, **Ko CC**. OPTN knockout mouse as a model for Paget's Disease of Bone. AADR Meeting, March 2016, LA, US.
11. Hamilton P, **Ko CC**. Characterization of the Elastic and Hyperelastic Modulus of Human Periodontal Ligament. AADR Meeting, March 2016, LA, US.
12. Gibson C, Lin F-C, **Ko CC**. Limiting Factors Affecting Stage I Treatment: A Biomechanical Perspective. AADR Meeting, March 2016, LA, US.
13. Zaytoun ML, **Ko CC**. Effects Of Malocclusion Factors On Extraction Thresholds In Orthodontics. AADR Meeting, March 2016, LA, US.
14. Chen S, Bai B, **Ko CC**. Dopamine Increased The Early Adhesion Of BMMSCs. AADR Meeting, March 2016, LA, US.
15. Lee D-J, Wang Z, Zhang H, Meng D, Tseng H, **Ko CC**. Dopaminergic Effects on *in vitro* Osteogenesis. IADR Meeting, 2015.
16. Zhang H, Yang S, Cooper L, **Ko CC**. Effect of TiO₂ nanotube on FAK and RhoA Expression in Preosteoblasts. IADR Meeting, 2015.
17. Ólafsson VG, Ritter AV, Swift Jr EJ, Boushell LW, **Ko CC**, Donovan TE. Effect of composite type and placement technique on shrinkage stress. IADR Meeting, 2015.
18. Mayo V, Uhlir R, **Ko CC**. A Nonlinear Hyperelastic Behavior For Mechanical Properties of Bovine PDL. IADR Meeting, 2015.
19. Guez C, Jackson T, Lin F-C, Proffit WR, **Ko CC**. A Contemporary Perspective on Tooth Extractions in Orthodontics. IADR Meeting, 2015.
20. **Ko CC**. Optimizing Thermal Processing for Polydopamine-laced Hydroxyapatite-Gelatin Nanocomposites with CAD Scaffolding. IADR Meeting, Cape Town, South Africa. *J Dent Res*. 2014.
21. Chen H, LEE D.J., Zhang H., Chiu C., Arbon J., and **Ko CC**. Comparison of GEMOSIL to Mineral Trioxide Aggregate in Endodontic Therapy. *J Dent Res*. 2014. #1172
22. Zhang H, Yang S, Lee D-J, **Ko CC**. Titanium Nanotubes Direct Osteogenic Proliferation and Differentiation of Preosteoblasts. *J Dent Res*. 2014. #555
23. Lee D-J, Padilla R, Zhang H, **Ko CC**. Comparison of Decellularized Bone to Hydroxyapatite-Gelatin-Calcium Silicate Scaffold for Bone Regeneration. *J Dent Res*. 2014. #276
24. Galicia J, Naqvi AR, Self-Fordham J, **Ko CC**, Bair E, Nares S and Khan AA. Pathogen-Induced MicroRNA Expression in a Human Pulpal Fibroblast Model. *J Endod* 2013; 39(3):e24
25. Ferreira JNAR, Zhang L, Hsieh W, Malabari F, Padilla R, Hu, W-S, **Ko CC**. Engineering hydroxyapatite-gelatin nanocomposites with MAPC cells for calvarium bone regeneration. IADR Meeting, Tampa, FLA, *J Dent Res* 2012;91(Special Issue A) #52.

26. Higgins K, **Ko CC**. Assessing Collagen Assembly and Apatite Formation by Atomic Force Microscopy. IADR Meeting, San Diego, *J Dent Res* 2011;90(Special Issue A) #187.
27. Ferreira JNAR, Hsieh W, Higgins K, **Ko CC**, Hu W-S. 1,25-dihydroxyvitamin D3 and Dexamethasone Promote *in vitro* MAPC Differentiation towards Osteogenesis. IADR Meeting, San Diego, *J Dent Res* 2011; 90(Special Issue A) #981.
28. Bahadoran M, **Ko CC**, Kamiya N, Scott G, Mishina Y, Mochida Y. Craniofacial deficiency of *Evc2* mutant mice using lateral-cephalometric and microCT. IADR Meeting, Barcelona Spain, *J Dent Res* 2010; 89(Special Issue) # 2821.
29. Ferreira JNAR, Park Y, Geng H, **Ko CC**, Hu W-S. Differentiation of MAPC towards an osteochondral progenitor genotype using BMP-2, IADR Meeting, Barcelona Spain, *J Dent Res* 2010; 89(Special Issue) #1972.
30. Chi L, Chen M, Nguyen T, Hershey HG, **Ko CC**. Force/moment analysis of asymmetric headgear requires incorporation of periodontal ligaments. AADR Meeting, Washington DC, *J Dent Res* 2010; 89(Special Issue A) #1196.
31. Naorungroj S, **Ko CC**, Donovan T. Staining resistance and surface topography of novel esthetic materials. AADR Meeting, Washington DC, *J Dent Res* 2010; 89(Special Issue A) #727.
32. Seong, WJ, Kim U-K, Hodges JS, **Ko CC**. Elastic bone properties of maxillary sinus floor. IADR Meeting, Miami, *J Dent Res* 2009; 88(Special Issue A) #695.
33. Nicholson K, Koroluk L, **Ko CC**. Finite element analysis of traumatic fractures in maxillary central incisors. IADR Meeting, Miami, *J Dent Res* 2009; 88(Special Issue A) #893.
34. Kaku M, Komatsu Y, Mishina Y, **Ko CC**. Stem cell capability of neural crest derived cells in adult PDL. IADR Meeting, Miami, *J Dent Res* 2009; 88(Special Issue A) #1408.
35. Rocha E, **Ko CC**, Cattaneo PM, Almeida EO, Freitas Jr AC, Anchieta RB. Veneer and zirconia-based copings: non-linear 3-D FEA using μ CT Data. IADR Meeting, Miami, *J Dent Res* 2009;88(Special Issue A) #1523.
36. **Ko CC**, Luo T-J M, Suuronen R, Turvey T. Developing GEMOSOL Biomaterial Technology for Bone Substitute. IADR Meeting, Miami, *J Dent Res* 2009;88(Special Issue A) #2864.
37. Shang HG, Wood R, Ma A, Kaku M, Ferreira J, Chi L, **Ko CC**. Mandibular Distraction Osteogenesis and the Role of PTH- Molecular Mechanisms. AADR Meeting, *J Dent Res* 2008;87(Special Issue A).
38. Ma A., Kaku M., Liu K-L, **Ko CC**. Novel Bioceramic Nano-Composite Prepones Osteoblast Differentiation. AADR Meeting, *J Dent Res* 2008;87(Special Issue A) #735.
39. Rocha EP, **Ko CC**, Luersen MA, Ford D, Martin Jr M. Non-linear stress distribution on dentin/laminate veneer interface. 85th General Session of the IADR, New Orleans. *J Dent Res* 2007; 86(Special Issue A):90.
40. Anchieta RB, Rocha EP, **Ko CC**, Sundfeld RH, Martin Jr M. Stress distribution on hybrid layer based on self-etching adhesive. 85th General Session of the IADR, New Orleans, *J Dent Res* 2007; 86(Special Issue A):89.
41. Requicha-Ferreira J, Myers S, **Ko CC**, Swift JQ, Friction J. A preliminary evaluation of the surface of surgically removed Proplast/Teflon[®] interpositional disc implants from human temporomandibular joints. American Academy of Orofacial Pain and the American Academy of Oral Medicine Joint Meeting, Phoenix, AZ, *Oral Surg Oral Med Oral Path* 2005;99(4):439.

BIBLIOGRAPHY

Ching-Chang Ko

42. **Ko CC**, Kochendorfer A, Wu Y-L, Wang A, Ahmad M, Cheng Y-S, Chang MC, Hodges J, DeLong R, Douglas WH. Mechanical properties and cytocompatibility of hydroxyapatite-gelatin bone graft material. IADR Meeting in Honolulu, *J Dent Res* 2004;83(Special Issue A) #2067.
43. Wu Y-L, Narayanan RA, Kochendorfer A, Hu W-S, Douglas WH, **Ko CC**. Initial Interaction of Human Fetal Osteoblasts with Hydroxyapatite-Gelatin Nanocomposites. IADR Meeting in Honolulu, *J Dent Res* 2004;83(Special Issue A) #279
44. **Ko CC**, Swift Q, DeLong R, Douglas WH. Effects of early loading on implant osseointegration. IADR Meeting, Göteborg, Sweden, *J Dent Res* 2003;82:B378, #2948.
45. Oyen ML, **Ko CC**. Local variations in viscous-elastic-plastic nanoindentation response of healing bone. *J Bone Mineral Res* Sep 2003;18(Supp 2): S307.
46. Wu Y-L, Narayanan RA, Kochendorfer A, Hu W-S, Douglas WH, **Ko CC**. Initial Interaction of Human Fetal Osteoblasts with Biomimetic Hydroxyapatite-Gelatin Nanocomposites. *Medical Alley Health Care Technology Conference and Expo*, 2003.
47. Chang C-H, Huang H-L, Lin C-L, **Ko CC**. Stress analyses of 3D dental bridge models with various implant supported designs. *J Dent Res* 2002;81:A-102, #0622.
48. Huang H-L, Chang C-H, **Ko CC**, Lin C-L, Huang J-S. Stress analysis around a dental implant for simulated progressive bone loss. *J Dent Res* 2002;81:A-187, #1365.
49. Liu C-C, **Ko CC**, DeLong R, Douglas WH. Young's modulus sensitivity of different tissue structures on the pig implanted mandible bone. *J Dent Res* 2002;81:A-187, #1368.
50. Villar A, Pesun IJ, Hodges JS, Brosky ME, Ison L, Doyen C, **Ko CC**, Lai J, Schneider D. Clinical evaluation of color of resilient denture liners. *J Dent Res* 2002;81:A-238, #1822.
51. Liu CC, **Ko CC**, DeLong R, Douglas WH. Optimal conditions of nanoindentation tests for hard tissue micro-properties. *J Dent Res* 2001;80:204, #1345.
52. Cao Y, DeLong R, **Ko CC**, Douglas WH. Algorithm for describing jaw motion in a virtual dental patient (VDP). *J Dent Res* 80:116, #644, 2001.
53. Kim YI, Swift JQ, Douglas WH, DeLong R, **Ko CC**. A Sinclair miniswine model of controlled loading on dental implants. *J Dent Res* 2000;79:385, #1934.
54. Wang HY, Zhang P, **Ko CC**, DeLong R. Error estimates of helical axis predicting jaw motion. *J Dent Res* 2000;79:531, #3099.
55. DeLong R, Pintado MR, **Ko CC**, Douglas WH. Digitizing Vinyl Polysiloxane impression materials using a 3D optical digitizer. *J Dent Res* 2000;79:531, #3098.
56. Bohlig KG, **Ko CC**, Beyer JP, Rozzi S, Mitra SB, Douglas WH. Plaque prevention due to polymer bonded enamel: three month evaluation. *J Dent Res* 2000;79:273, #1038.
57. Lin CL, Chang CH, **Ko CC**. Finite element analysis for class II MOD cavity restoration. *J Dent Res* 2000;79:274, #1045.
58. **Ko CC**, Resch D, Nguyen TT, Rozzi S, Mitra SB, Douglas WH. Imaging analyses accessing plaque prevention due to polymer bonded to enamel, *J Dent Res* 1999;78: 321, #1724.
59. Wang T, **Ko CC**, Cao Y, DeLong R, Huang CC, Douglas WH. Anatomic model of a carious lesion by Monte Carlo simulation. *J Dent Res* 1999;78:411, #2442.
60. Pintado MR, Sakaguchi RL, DeLong R, **Ko CC**, Douglas WH. Abfraction and occlusal wear: A correlation. *J Dent Res* 1999;78:161, #447.
61. Cao Y, **Ko CC**, DeLong R, Douglas WH. Non-destructive method on predicting functional path of temporomandibular joints. *J Dent Res* 1999;78:519, #3307.
62. Ronderos M, **Ko CC**, Hodges J, Sparks BS, DeLong R. Evaluation of a new subtraction radiography system: angular reproducibility. *J Dent Res* 1999;78:488, #3064.

63. **Ko CC**, DeLong R, Lai JH. Toward developing a non-destructive compression test on measuring maxillofacial silicone rubber material properties. *J Dent Res* 1998;77(SI):204, #790.
64. Douglas WH, Lien W, Nguyen TT, **Ko CC**, Pintado WR. Quantification of digital dental plaque indices using color transformation. *J Dent Res* 1998;77(SI):222, #936.
65. Becker WS, Nguyen TT, Douglas WH, DeLong R, **Ko CC**. Color measurements of *in vivo* white spot lesions. *J Dent Res* 1998;77(SI):223, #937.
66. Stockinger MJ, **Ko CC**, Anderson GC, DeLong R. Reliability and validity of digital imaging of intercuspatal occlusal contact. *J Dent Res* 1998;77(SI):201, #765.
67. Pintado M, **Ko CC**, Conry J, Douglas WH. Towards the development of a digital plaque index. *J Dent Res* 1997;76(SI):215, #1610.
68. Tantbirojn D, Douglas WH, **Ko CC**, McSwiggen P. Spatial chemical analysis of dental stain using WDS: a case report. *J Dent Res* 1997;76(SI):96, #664.
69. Cheng Y-S, Douglas WH, Jacobs DW, **Ko CC**. Experimental studies on fracture toughness of luting cements. *J Dent Res* 1997;76(SI):70, #450.
70. **Ko CC**, Tantbirojn D, Douglas WH. Kubelka-Munk scattering power of white spot lesions. *J Dent Res* 1997;76(SI):254, #1924.
71. **Ko CC**, Pintado M, Tantbirojn D, Douglas WH. Assay development of toothbrush damage on hard tissues, *J Dent Res* 1996;74(SI):194.
72. **Ko CC**, Kohn DH, Hollister SJ, Goldstein SA. Comparison between predicted bone strain and measured osseointegration, *J Dent Res* 1996;74(SI):74.
73. Kohn DH, **Ko CC**, Hollister SJ. Experimental validation of interfacial elastic constants predicted by homogenization theory, Trans 41st Annual Meeting, *Orthopaedic Research Society*, Orlando, FL: 1995;20:753.
74. Kohn DH, **Ko CC**, Hollister SJ. Predicted differences in ingrowth and damage between fully and partially porous coated total hip replacements, accepted in the 21st Annual Meeting of the *Society for Biomaterials*, San Francisco, CA: 1995, #388.
75. Kohn DH, **Ko CC**, Hollister SJ. Comparison of composite theories for predicting effective elastic constants with experimental data, the 21st Annual Meeting of the *Society for Biomaterials*, San Francisco, CA: 1995, #133.
76. **Ko CC**, Kohn DH, Hollister SJ. Comparison between predicted tissue level strains and measured ingrowth in porous coated implants, the 21st Annual Meeting of the *Society for Biomaterials*, San Francisco, CA: 1995, #318.
77. Kohn DH, **Ko CC**, Hollister SJ. Experimental validation of analytically determined interfacial material constants. *J Dent Res* 1995;74(SI):92.
78. **Ko CC**, Douglas WH, Versluis A, Cheng Y-S. The relationship between brush stiffness and brushing forces, *J Dent Res* 1995;74(SI):245.
79. Cheng Y-S, Douglas WH, **Ko CC**. Elastic modulus measurement for enamel and dentin using the microhardness tester. *J Dent Res* 1995;74(SI):245.
80. Kohn DH, **Ko CC**, Hollister SJ. Microstructural modeling of dental implants: Global results. *J Dent Res* 1994;73:300.
81. Hollister SJ, **Ko CC**, Kohn DH. Using topology optimization to predict bone properties around dental implants. *J Dent Res* 1994;73:300.
82. Kohn DH, **Ko CC**, Hollister SJ. Implant/tissue interphase mechanics based on histological sections of implants, *J Dent Res* 1993;72:571.

BIBLIOGRAPHY

Ching-Chang Ko

83. Kohn DH, Ko CC, Hollister SJ. Analysis of implant interfaces: Error estimate and effect of fibrous tissue, *J Dent Res* 1992;71:115.
84. Ko CC, Kohn DH, Hollister SJ. Analysis of an implant/bone interfacial zone using homogenization theory. *J Dent Res* 1992;71:115.
85. Ko CC, Chu CS, Chung KH, Lee MC. Stress analysis of pulpless tooth: Effects of posts on dentin stress distribution in pulpless teeth, *the First World Congress on Biomechanics*, San Diego: 1991;2:142.
86. Ko CC, Kohn DH, Hollister SJ. Stress analysis on dental implants: Effect of fibrous tissue. *J Dent Res* 1991;70:460.
87. Ko CC, Chu CS, Lee MC. Stress analysis of pulpless tooth: Effects of post on dentin stress distribution. *J Biomed Eng Soc ROC* 1989;9(2):43.
88. Ko CC, Lee MC. Stress analysis of post-restored teeth with various bone support. *Proc Annual Meeting Soc Biomed Eng ROC*, 1988:70-1.

Presentation with Abstracts (no page number in the electronic program book)

1. Miguez PA, Mochida Y, Terajima M, Nagaoka H, Ferreira J, Ko CC, Yamauchi M. Biglycan promotes bmp-induced bone regeneration in a rat mandible defect model. *AAP 96th Annual Meeting*. Hawaii, 2010.
2. Terajima M, Takahashi I, Nakasima A, Ko CC, Proffit W. Four-dimensional imaging system for orthodontic applications. *Table Clinic #38 AAO Annual Meeting* in Washington DC, 2010.
3. Chi L, Cheng M, Hershey HG, Ko CC. Computed Force Distributions of an Asymmetric Headgear. *AAO Meeting*, Denver, 2008.
4. Pollei J, Rocha E, Ko CC. Effect of Varying Orthodontic Miniscrew Angulation: A Finite Element Analysis. *AAO Meeting*, Denver, 2008.
5. Luo T-J Mark, Ko CC. Nanostructured Silica Enforced Hydroxyapatite. *TMS (Minerals, Metals & Materials Society) Meeting*, New Orleans, 2008.
6. Ko CC, Ma A, Kaku M, Liu K-L, Luo T-J M, Tulloch JFC, Hu W-S. The Effect of Hydroxyapatite/GEMOSIL Nanocomposites on Extracellular Matrix Patterning Through the Promotion of Osteoblast Self-organization. *8th World Biomaterials Congress*, Amsterdam RAI, the Netherlands, 2008.
7. Ko CC, Friction J, Hu W-S. A new hydroxyapatite-gelatin nanocomposite for TMJ tissue engineering. *American Society of TMJ Surgeons Annual Meeting*, Phoenix, 2005.
8. Ko CC, Oyen M, Fallgatter A. Effects of gelatin on mechanical properties of hydroxyapatite-gelatin nanocomposites. *Material Research Society Fall Meeting*, Boston, 2005.
9. Fallgatter A, Ko CC, Chou C-H. Crush absorbing energy of white spot lesion measured by indentation tests. *Material Research Society Fall Meeting*, Boston, 2005.
10. Ko CC, Douglas WH, Chu T-M, Chang MC, Narayanan RA, Hu W-S. Forming 3D Scaffolds of Hydroxyapatite-Gelatin Nano-Composites using Mechanical Method and Selective Solid Etching Method. *7th World Biomaterials Congress*, Sydney, Australia, 2004.
11. Oyen M, Ko CC. Variability of nanoindentation responses of bone and artificial bone-like composites. *ASME Winter Annual Meeting*, 2004.
12. Oyen ML, Ko CC. Finite Element Modeling of Bone Ultrastructure as a Two-phase Composite. *Material Research Society Fall Meeting*, Boston, 2004.

Curriculum Vitae
Ching-Chang Ko

13. Huang Y-C, Chen M, Shin Y-P, Ko CC. Experiments in the Use of Point-to-Point Iterative Learning Control for Improving Intra-Oral Hydraulic Loading System of Dental Implants. *Chinese Automatic Control Conference and Bio-Mechatronics System Control and Application Workshop*, Taipei, 2003.